www.wikied.in



www.wikied.in

Total No. of Pages : 02

Total No. of Questions : 18

B.Tech. (AI & ML / CE / CSE) / B.Tech CSE (Internet of Things & Cyber Security Including Block Chain Technology) / PIT B.Tech CSE

(Sem.-4)

DESIGN & ANALYSIS OF ALGORITHMS

Subject Code : BTCS-403-18

M.Code : 77629

Date of Examination : 09-07-22

Time : 3 Hrs.

Roll No.

Max Marks : 60

INSTRUCTIONS TO CANDIDATES :

- 1. SECTION-A is COMPULSORY consisting of TEN questions carrying TWO marks each.
- 2. SECTION-B contains FIVE questions carrying FIVE marks each and students have to attempt any FOUR questions.
- 3. SECTION-C contains THREE questions carrying TEN marks each and students have to attempt any TWO questions.

SECTION-A

Answer briefly :

- 1. Give an example of dynamic programming approach.
- 2. What do you understand by algorithm evaluation?
- 3. What is NP-complete problem?
- 4. What is asymptotic time complexity?
- 5. What is the basic principal of divide-and-conquer?
- 6. List the various applications of DFS and BFS.
- 7. How the Prim's algorithm is better in finding the Minimal spanning tree in comparison to the Kruskal's method?
- 8. What are heuristics? What are their characteristics?
- 9. What are the various steps in the design of an algorithm?

www.wikied.in

www.wikied.in

10. Are the sub solutions overlapping in dynamic programming approach?

1 | M-77629

SECTION-B

- 11. Explain the Big-Oh computation for each of the following control structures:
 - (i) Sequencing
 - (ii) If-then-else
 - (iii) "for" loop
 - (iv) "While" loop
 - (v) Recursion
- Solve the following instance of the knapsack problem using branch and bound technique (assume W = 3)

	Items	w	v
(11	1	2
	12	2	3
	13	3	4

- 13. Apply Prim's Algorithm and Kruskal algorithm to the graph to obtain minimum spanning tree. Do these algorithms generate same output-Justify.
- 14. Explain the concepts of P, NP and NP completeness.
- 15. What are NP hard problems? Write short notes on the procedures of the following approximation algorithms to solve TSP using suitable examples.
 - a) Nearest Neighbor algorithm.
 - b) Twice-around-the-tree algorithm.

SECTION-C

- 16. Write an algorithm for merging two sorted arrays into one array. Explain with suitable examples.
- 17. Modify the Dijkastra's algorithm to solve All-Pairs-Shortest-Path problem.
- 18. Find the Big-Oh notations for the following functions :
 - (i) *f*(*n*) =78889

(S2)-836

www.wikied.in

- (ii) $f(n) = 6 n^1 + 135$
- (iii) $f(n) = 7 n^2 + 8n + 56$
- (iv) $f(n) = n^4 + 35n^2 + 84$

NOTE : Disclosure of Identity by writing Mobile No. or Making of passing request on any page of Answer Sheet will lead to UMC against the Student.